Author Index

Allshire, R.C. and Bostock, C.J.
Duplication of a viral enhancer sequence improves the stability of a vector based on BPV-1 DNA, 141
Almond, J.W., see King, L.A., 331
Arlinghaus, R.B., see Escobedo, J., 75

Ballmer-Hofer, K., Mandel, G., Faller, D.V., Roberts, T.M. and Benjamin, T.L.
Expression of influenza hemagglutinin-polyoma T-antigen fusion proteins in a rat embryo fibroblast cell line, 345
Beachey, E.H., see Portner, A., 109
Beck, T.M., see Engels, M., 57
Benjamin, T.L., see Ballmer-Hofer, K., 345
Bennett, D.D., see Wright, S.E., 173
Bloemers, H.P.J., see Roebroek, A.J.M., 15
Bolger, E., see Perlman, S., 261
Bostock, C.J., see Allshire, R.C., 141
Brown, E., see Zajac-Kaye, M., 45

Campos, R.H., see Giachetti, C., 1
Carrillo, E.C., see Giachetti, C., 1
Celluzzi, C.M., see Chenet-Monte, C., 245
Chan, S.P.K., see Contag, C.H., 195
Chan, V-L., see Daksis, J.I., 297
Chang, L-J., see Perlman, S., 261
Chenet-Monte, C., Mohammad, F., Celluzzi, C.M., Schaffer, P.A. and Farber, F.E.
Herpes simplex virus gene products involved in the induction of chromosomal aberrations, 245
Cocking, J.M., see Daksis, J.I., 297
Conley, A.J., see Shillitoe, E.J., 181
Contag, C.H., Chan, S.P.K., Wietgrefe, S.W. and Plagemann, P.G.W.
Correlation between presence of lactate dehydrogenase-elevating virus RNA and antigens in motor neurons and paralysis in infected C58 mice, 195
Coto, C.E., see D'Aiutolo, A.C., 235

D'Aiutolo, A.C. and Coto, C.E.
Vero cells persistently infected with Tacaribe virus: role of interfering particles in the establishment of the infection, 235
Daksis, J.I., Cocking, J.M., Skinner, M.A. and Chan, V-L.
Temperature-sensitive herpes simplex virus type 1 mutants defective in the shutoff of cellular DNA synthesis and host polypeptide synthesis, 297
Dina, D., see Escobedo, J., 75

Eaton, B.T. and Gould, A.R.
Isolation and characterization of orbivirus genotypic variants, 363
Engels, M., Giuliani, C., Wild, P., Beck, T.M., Loepfe, E. and Wyler, R.
The genome of bovine herpesvirus 1 (BHV-1) strains exhibiting a neuropathogenic potential compared to known BHV-1 strains by restriction site mapping and cross-hybridization, 57
Escobedo, J., Singh, B., Dina, D. and Arlinghaus, R.B.
Temperature-dependent cytocidal effects of Moloney murine sarcoma virus, 75

Faller, D.V., see Ballmer-Hofer, K., 345
Farber, F.E., see Chenet-Monte, C., 245
Friend, C., see Zajac-Kaye, M., 45

Giachetti, C., Carrillo, E.C. and Campos, R.H.
Further characterization of a morphogenetic mutant of the foot-and-mouth disease virus, 1
Giuliani, C., see Engels, M., 57
Gould, A.R., see Eaton, B.T., 363
Griffith, B.P., see Sha, M., 317
Grubman, M.J. and Morgan, D.O.
Antigenic comparison of foot-and-mouth disease virus serotypes with monoclonal antibodies, 33
Gupta, K.C., see Portner, A., 109

Herzog, S., see Scholtissek, C., 287
Hsiung, G.D., see Sha, M., 317

Ikuta, K. and Luftig, R.B.
Antigenic differences among multiply charged Moloney murine leukemia virus p30 polypeptides found inside infected cells, 101
Isom, H.C., see Sha, M., 317

King, L.A., Pullin, J.S.K., Stanway, G., Almond, J.W. and Moore, N.F.
Cloning of the genome of cricket paralysis virus: sequence of the 3′-end, 331
Kingsbury, D.W., see Portner, A., 109
Kitame, F., see Sugawara, K., 27

La Placa, M., see Zerbini, M., 211
Lee, K., see Mainprize, T.H., 85
Lemay, G. and Millward, S.
Expression of the cloned S4 gene of reovirus serotype 3 in transformed eucaryotic cells: enrichment of the viral protein in the crude initiation factor fraction, 133
Loepfe, E., see Engels, M., 57
Luftig, R.B., see Ikuta, K., 101

Magnusson, G., see Österlund, M., 273
Mainprize, T.H., Lee, K. and Miller, L.K.
Variation in the temporal expression of overlapping baculovirus transcripts, 85
Mandel, G., see Ballmer-Hofer, K., 345
Matney, T.S., see Shillitoe, E.J., 181
Miller, L.K., see Mainprize, T.H., 85
Miller, L.K., see Rice, W.C., 155
Millward, S., see Lemay, G., 133
Mohammad, F., see Chenet-Monte, C., 245
Moore, N.F., see King, L.A., 331
Morgan, D.O., see Grubman, M.J., 33
Musiani, M., see Zerbini, M., 211
Müller, K., see Scholtissek, C., 287

Nakamura, K., see Sugawara, K., 27
Nishimura, H., see Sugawara, K., 27

Österlund, M. and Magnusson, G.
Mutational analysis of DNA sequences affecting the replication of defective polyomavirus variant D-50, 273

Patton, J.T.
Synthesis of simian rotavirus SA11 double-stranded RNA in a cell-free system, 217
Perlman, S., Ries, D., Bolger, E., Chang, L-J. and Stoltzfus, C.M.
MHV nucleocapsid synthesis in the presence of cycloheximide and accumulation of negative MHV RNA, 261
Plagemann, P.G.W., see Contag, C.H., 195
Portner, A., Gupta, K.C., Seyer, J.M., Beachey, E.H. and Kingsbury, D.W.
Localization and characterization of Sendai virus nonstructural C and C′ proteins by antibodies against synthetic peptides, 109
Pullin, J.S.K., see King, L.A., 331

Raveh, D., see Sha, M., 317
Rice, W.C. and Miller, L.K.
Baculovirus transcription in the presence of inhibitors and in nonpermissive *Drosophila* cells, 155
Ries, D., see Perlman, S., 261
Roberts, T.M., see Ballmer-Hofer, K., 345
Roebroek, A.J.M., Bloemers, H.P.J. and Van de Ven, W.J.M.
Reversion to the nontransformed phenotype of Abelson murine leukemia virus- transformed cells and their subsequent retransformation, 15

Schaffer, P.A., see Chenet-Monte, C., 245
Scholtissek, C., Müller, K. and Herzog, S.
Influence of insulin and 12-*O*-tetradecanoylphorbol-13-acetate (TPA) on influenza virus multiplication, 287
Seyer, J.M., see Portner, A., 109
Sha, M., Griffith, B.P., Raveh, D., Isom, H.C., Ward, D.C. and Hsiung, G.D.
Detection of guinea pig cytomegalovirus nucleic acids in cultured cells with biotin-labelled hybridization probes, 317
Shillitoe, E.J., Matney, T.S. and Conley, A.J.
Induction of mutations in bacteria by a fragment of DNA from herpes simplex virus type 1, 181
Singh, B., see Escobedo, J., 75
Skinner, M.A., see Daksis, J.I., 297
Stanway, G., see King, L.A., 331
Stoltzfus, C.M., see Perlman, S., 261
Sugawara, K., Nishimura, H., Kitame, F. and Nakamura, K.
Antigenic variation among human strains of influenza C virus detected with monoclonal antibodies to gp88 glycoprotein, 27

Van de Ven, W.J.M., see Roebroek, A.J.M., 15
Vanech, M.
In vitro encapsidation of plasmid DNA into human adenovirus empty capsids 123, Kosturko, L.D.

Ward, D.C., see Sha, M., 317

Wietgrefe, S.W., see Contag, C.H., 195
Wild, P., see Engels, M., 57
Wright, S.E. and Bennett, D.D.
Region coding for subgroup specificity of envelope of avian retroviruses does not determine lymphomagenicity, 173
Wyler, R., see Engels, M., 57

Zajac-Kaye, M., Brown, E. and Friend, C.
Induction of differentiation in Friend erythroleukemia cells with dimethyl sulfoxide, hexamethylene bisacetamide and sodium butyrate is not accompanied by changes in proviral DNA or its expression, 45
Zerbini, M., Musiani, M. and La Placa, M.
Stimulating effect of heat shock on the early stage of human cytomegalovirus replication cycle, 211

Subject Index

Abelson murine leukemia virus, transformation, reversion, cytosine methylation, 15
antibodies, synthetic peptides, Sendai virus, 109
antigenic variation, influenza C virus, glycoprotein, monoclonal antibody, 27
aphidicolin, baculovirus, transcription, gene expression, cycloheximide, *Autographa californica* nuclear polyhedrosis virus, 155
Autographa californica nuclear polyhedrosis virus, baculovirus, transcription, gene expression, cycloheximide, aphidicolin, 155
avian retroviruses, subgroup determinant, lymphomagenicity determination, 173

baculovirus, cDNA library, overlapping transcripts, 85
baculovirus, transcription, gene expression, cycloheximide, *Autographa californica* nuclear polyhedrosis virus, aphidicolin, 155
bovine herpesvirus 1, genome, restriction site maps, cross-hybridization, 57
bovine papillomavirus, cell transformation, shuttle vectors, extrachromosomal replication, 141

C58 mice, lactate dehydrogenase elevating virus, in situ hybridization, poliomyelitis, 195
cDNA library, baculovirus, overlapping transcripts, 85
capsids, plasmid DNA, encapsidation, human adenovirus, 123
cell transformation, bovine papillomavirus, shuttle vectors, extrachromosomal replication, 141
cell-free replication system, simian rotavirus SA11, negative-strand RNA, 217
cellular target for v-*mos*, Moloney murine sarcoma virus, L_6E_9 rat myoblasts, cytotoxicity, transformation, 75
chromosomal aberrations, HSV genes, 245
concatemers, orbivirus RNAs, deletions, translation products, 363
continuous and conformation dependent epitopes, foot-and-mouth disease virus, neutralizing monoclonal antibodies, 33
coronavirus, mouse hepatitis virus, viral replication, 261
cricket paralysis virus, picornavirus, polymerase, sequence, 331
cross-hybridization, bovine herpesvirus 1, genome, restriction site maps, 57
cultured cells, cytomegalovirus, guinea pigs, nucleic acids, cytohybridization, 317
cycloheximide, baculovirus, transcription, gene expression, *Autographa californica* nuclear polyhedrosis virus, aphidicolin, 155
cytohybridization, cytomegalovirus, guinea pigs, cultured cells, nucleic acids, 317
cytomegalovirus, heat shock, stimulating effect, replication cycle, human, 211
cytomegalovirus, guinea pigs, cultured cells, nucleic acids, cytohybridization, 317
cytosine methylation, Abelson murine leukemia virus, transformation, reversion, 15
cytotoxicity, Moloney murine sarcoma virus, L_6E_9 rat myoblasts, transformation, cellular target for v-*mos*, 75

defective evolutionary variant, polyomavirus, mutational analysis, DNA replication, 273
deletions, orbivirus RNAs, concatemers, translation products, 363
DNA and protein synthesis, HSV, *ts* mutant, shutoff, 297
DNA replication, polyomavirus, defective evolutionary variant, mutational analysis, 273

effect on glucose metabolism, influenza virus, inhibition by insulin and TPA, 287
encapsidation, plasmid DNA, human adenovirus, capsids, 123
extrachromosomal replication, bovine papillomavirus, cell transformation, shuttle vectors, 141

FMDV morphogenesis, foot-and-mouth disease virus, *ts* mutant, VP2 intermediate precursor polypeptides, 1
foot-and-mouth disease virus, *ts* mutant, VP2 intermediate precursor polypeptides, FMDV morphogenesis, 1

foot-and-mouth disease virus, neutralizing monoclonal antibodies, continuous and conformation dependent epitopes, 33
Friend provirus, virus expression, inducers of differentiation, 45

gene expression, baculovirus, transcription, cycloheximide, *Autographa californica* nuclear polyhedrosis virus, aphidicolin, 155
genome, bovine herpesvirus 1, restriction site maps, cross-hybridization, 57
glycoprotein, influenza C virus, antigenic variation, monoclonal antibody, 27
guinea pigs, cytomegalovirus, cultured cells, nucleic acids, cytohybridization, 317

heat shock, stimulating effect, replication cycle, cytomegalovirus, human, 211
herpes simplex, mutagenesis, oncogenesis, 181
HSV, *ts* mutant, shutoff, DNA and protein synthesis, 297
HSV genes, chromosomal aberrations, 245
human adenovirus, plasmid DNA, encapsidation, capsids, 123
human, heat shock, stimulating effect, replication cycle, cytomegalovirus, 211

immunoprecipitation, p30 polypeptide, Moloney murine leukemia virus, 101
in situ hybridization, lactate dehydrogenase elevating virus, poliomyelitis, C58 mice, 195
inducers of differentiation, Friend provirus, virus expression, 45
influenza C virus, antigenic variation, glycoprotein, monoclonal antibody, 27
influenza virus, inhibition by insulin and TPA, effect on glucose metabolism, 287
inhibition by insulin and TPA, influenza virus, effect on glucose metabolism, 287
initiation factor, reovirus, transformation (transfection), protein synthesis, 133
interfering particles, Tacaribe virus, persistent infection, Vero cells, 235

L_6E_9 rat myoblasts, Moloney murine sarcoma virus, cytotoxicity, transformation, cellular target for v-*mos*, 75
lactate dehydrogenase elevating virus, in situ hybridization, poliomyelitis, C58 mice, 195
lymphomagenicity determination, subgroup determinant, avian retroviruses, 173

Moloney murine sarcoma virus, L_6E_9 rat myoblasts, cytotoxicity, transformation, cellular target for v-*mos*, 75
Moloney murine leukemia virus, p30 polypeptide, immunoprecipitation, 101
monoclonal antibody, influenza C virus, antigenic variation, glycoprotein, 27
mouse hepatitis virus, coronavirus, viral replication, 261
mutagenesis, herpes simplex, oncogenesis, 181
mutational analysis, polyomavirus, defective evolutionary variant, DNA replication, 273

negative-strand RNA, simian rotavirus SA11, cell-free replication system, 217
neutralizing monoclonal antibodies, foot-and-mouth disease virus, continuous and conformation dependent epitopes, 33
nucleic acids, cytomegalovirus, guinea pigs, cultured cells, cytohybridization, 317

oncogenesis, herpes simplex, mutagenesis, 181
orbivirus RNAs, concatemers, deletions, translation products, 363
overlapping transcripts, baculovirus, cDNA library, 85

p30 polypeptide, Moloney murine leukemia virus, immunoprecipitation, 101
persistent infection, Tacaribe virus, interfering particles, Vero cells, 235
picornavirus, cricket paralysis virus, polymerase, sequence, 331
plasmid DNA, encapsidation, human adenovirus, capsids, 123
poliomyelitis, lactate dehydrogenase elevating virus, in situ hybridization, C58 mice, 195
polymerase, cricket paralysis virus, picornavirus, sequence, 331
polyomavirus, defective evolutionary variant, mutational analysis, DNA replication, 273
protein synthesis, reovirus, transformation (transfection), initiation factor, 133

reovirus, transformation (transfection), initiation factor, protein synthesis, 133
replication cycle, heat shock, stimulating effect, cytomegalovirus, human, 211
restriction site maps, bovine herpesvirus 1, genome, cross-hybridization, 57
reversion, Abelson murine leukemia virus, transformation, cytosine methylation, 15

Sendai virus, synthetic peptides, antibodies, 109
sequence, cricket paralysis virus, picornavirus, polymerase, 331

shutoff, HSV, *ts* mutant, DNA and protein synthesis, 297
shuttle vectors, bovine papillomavirus, cell transformation, extrachromosomal replication, 141
simian rotavirus SA11, cell-free replication system, negative-strand RNA, 217
stimulating effect, heat shock, replication cycle, cytomegalovirus, human, 211
subgroup determinant, avian retroviruses, lymphomagenicity determination, 173
synthetic peptides, antibodies, Sendai virus, 109

Tacaribe virus, persistent infection, interfering particles, Vero cells, 235
transcription, baculovirus, gene expression, cycloheximide, *Autographa californica* nuclear polyhedrosis virus, aphidicolin, 155
transformation, Abelson murine leukemia virus, reversion, cytosine methylation, 15
transformation, Moloney murine sarcoma virus, L_6E_9 rat myoblasts, cytotoxicity, cellular target for v-*mos*, 75
transformation (transfection), reovirus, initiation factor, protein synthesis, 133
translation products, orbivirus RNAs, concatemers, deletions, 363
***ts* mutant,** foot-and-mouth disease virus, VP2 intermediate precursor polypeptides, FMDV morphogenesis, 1
***ts* mutant,** HSV, shutoff, DNA and protein synthesis, 297

Vero cells, Tacaribe virus, persistent infection, interfering particles, 235
viral replication, mouse hepatitis virus, coronavirus, 261
virus expression, Friend provirus, inducers of differentiation, 45
VP2 intermediate precursor polypeptides, foot-and-mouth disease virus, *ts* mutant, FMDV morphogenesis, 1

ST